Clinical Physiology (1996) **16**, 659–666

AUTHOR INDEX

Volume 16

ABRAHAM P. *see* DESVAUX B.
AGNOLI G. C., BORGATTI R., CACCIARI M., IKONOMU E., LENZI P. & Marinelli M. Effective role of the renin–angiotensin system in the control of prostanoid synthesis and renal function in healthy women with moderate salt depletion 41
AHLBORG G. & LUNDBERG J. M. Exercise-induced changes in neuropeptide Y, noradrenaline and endothelin-1 levels in young people with type I diabetes 645
AHLMAN B. *see* BARLE H.
AITTOMÄKI J. *see* HAKALA K.
ALANKO K. *see* HEDMAN J.
ALIHANKA J. *see* LINDQVIST A.
ANDERSSON K. *see* BARLE H.
ARENDT J. *see* WILLIAMS G.
ARTUSIO E. *see* ROATTA S.

BADER D. *see* TIROSH E.
BÁNYÁSZ T. & KOVÁCS T. Different [^{3}H]ouabain binding characteristics of fast and slow skeletal muscles in IDDM and NIDDM diabetic rats 609
BARLE H., AHLMAN B., NYBERG B., ANDERSSON K., ESSÉN P. & WERNERMAN J. The concentrations of free amino acids in human liver tissue obtained during laparoscopic surgery 217
BARREGÅRD L. *see* NOWAK J.
BENTHIN G. *see* NOWAK J.
BLIETZ W. W. *see* NAUCK M. A.
BLOHMÉ G. *see* SAMUELSSON P.
BLOMSTRAND P., KONGSTAD O., BROQVIST M., DAHLSTRÖM U. & WRANNE B. Assessment of left ventricular diastolic function from mitral annulus motion, a comparison with pulsed Doppler measurements in patients with heart failure 483
BORGATTI R. *see* AGNOLI G. C.
BORLY L., HØJGAARD L., GRØNVALL S. & STAGE J. G. Human gallbladder pressure and volume: validation of a new direct method for measurements of gallbladder pressure in patients with acute cholecystitis 145
BORNMYR S., MÅRTENSSON A., SVENSSON H., NILSSON K.-G. & WOLLMER P. A new device combining laser Doppler perfusion imaging and digital photography 535
BOSCO C., TIHANYI J. & VIRU A. Relationships between field fitness test and basal serum testosterone and cortisol levels in soccer players 317
BRAHM J. *see* GRAFF J.
BRINCH K. see HANSEN H. B.

© 1996 Blackwell Science Ltd

BROQVIST M. *see* BLOMSTRAND P.
BRUDIN L. *see* LIND H.
BUCHAN I. *see* WILLIAMS G.

CACCIARI M. *see* AGNOLI G. C.
CARTER S. A. Effects of ambulation on foot oxygen tension in limbs with peripheral atherosclerosis 199
CAYEUX M.-C. *see* TAPPY L.
CHATTERTON, Jr. R. T., VOGELSONG K. M., LU Y., ELLMAN A. B. & HUDGENS G. A. Salivary α-amylase as a measure of endogenous adrenergic activity 433
CHIOLÉRO R. *see* TAPPY L.
CHRISTENSEN N. J. *see* FRANDSEN H. A.
COHEN A. *see* TIROSH E.
COLDING-JØRGENSEN M. *see* MIDTTUN M.
COLIN D. & SAUMET J. L. Influence of external pressure on transcutaneous oxygen tension and laser Doppler flowmetry on sacral skin 61
COLIN D. *see* DESVAUX B.

DAHLSTRÖM U. *see* BLOMSTRAND P.
DERIU F. *see* ROATTA S.
DESVAUX B., ABRAHAM P., COLIN D. & Leftheriotis G. Ankle to arm index response to exercise and heat stress in health subjects 1

EDLUND A. *see* JUNGERSTEN L.
EDVINSSON L. *see* LIND H.
EDWARDS R. *see* WILLIAMS G.
ELLMAN A. B. *see* CHATTERTON, JR. R. T.
ERIKSSON J. W. *see* SAMUELSSON P.
ESSÉN P. *see* BARLE H.
EVANDER E. *see* TASKAR V.

FOGH-ANDERSEN N. *see* GRAFF J.
FOGH-ANDERSEN N. *see* SUETTA C.
FOWELIN J. *see* SAMUELSSON P.
FRANDSEN H. A., SNITKER S., CHRISTENSEN N. J. & MADSBAD S. No differential effects of porcine and human insulin on muscle sympathetic nerve activity during euglycaemia or hypoglycaemia 9
FUGLEBERG S. *see* GRAFF J.
FUJII T., KURIHARA N., FUJIMOTO S., HIRATA K. & YOSHIKAWA J. Role of pulmonary vascular disorder in determining exercise capacity in patients with severe chronic obstructive pulmonary disease 521
FUJIMOTO S. *see* FUJII T.

GRAFF J., FUGLEBERG S., BRAHM J. & FOGH-ANDERSEN N. The transport of phosphate between the plasma and dialysate compartments in peritoneal dialysis is influenced by an electric potential difference 291
GRAFF J., FUGLEBERG S., BRAHM J. & FOGH-ANDERSEN N. Transperitoneal transport of sodium during hypertonic peritoneal dialysis 31
GRANUNG G. *see* NOWAK J.
GRØNVALL S. *see* BORLY L.
GUIDO D. *see* TAAFFE D. R.

HAKALA K., MUSTAJOKI P., AITTOMÄKI J. & SOVIJÄRVI A. Improved gas exchange during exercise after weight loss in morbid obesity 229
HALTSONEN S. *see* MALMBERG L. P.
HANSEN H. B., BRINCH K. & HENRIKSEN J. H. Scientific publications from departments of clinical physiology and nuclear medicine in Denmark. A bibliometric analysis of 'impact' in the years 1989–1994 507
HEDMAN J., ALANKO K. & NIEMINEN M. M. Repeatability of a rapid dosimetric method for methacholine challenge using a pocket turbine spirometer for FEV_1 measurements 353
HENRIKSEN J. H. *see* HANSEN H. B.
HENRY S. *see* TOUNAIN P.
HESSEVIK I. *see* KVITTING P.
HIRATA K. *see* FUJII T.
HODGINS H. *see* TIROSH E.
HØJGAARD L. *see* BORLY L.
HOMOLAY P. *see* NÁNÁSI P. P.
HUDGENS G. A. *see* CHATTERTON, JR. R. T.

IKONOMU E. *see* AGNOLI G. C.
ISBERG B. *see* MAGNUSSON G.

JAGOMÄGI K., TALTS J., RAAMAT R. & LÄNSIMIES E. Continuous non-invasive measurement of mean blood pressure in fingers by volume-clamp and differential oscillometric method 551
JALONEN J. *see* LINDQVIST A.
JANSEN J. R. C. *see* TE NIJENHUIS F. C. A. M.
JOHN J. *see* TASKAR V.
JONSON B. *see* TASKAR V.
JUNGERSTEN L., EDLUND A., PETERSSON A.-S. & WENNMALM Å. Plasma nitrate as an index of nitric oxide formation in man: analyses of kinetics and confounding factors 369

KAIJSER L. *see* MAGNUSSON G.
KALLIO K. *see* MALMBERG L. P.

KANSANEN M. *see* VANNINEN E.
KANSTRUP I.-L. *see* SUETTA C.
KARLSSON L. *see* WOHLFART B.
KARP K. *see* TEIEN D.
KATILA T. *see* MALMBERG L. P.
KESKINEN H., PIIRILÄ P., NORDMAN H. & NURMINEN M. Pocket-sized spirometer for monitoring bronchial challenge procedures 633
KNILANS T. K. *see* NÁNÁSI P. P.
KONGSTAD O. *see* BLOMSTRAND P.
KOVÁCS L. *see* NÁNÁSI P. P.
KOVÁCS T. *see* BÁNYÁSZ T.
KURIHARA N. *see* FUJII T.
KVITTING P., HESSEVIK I., MATRE K. & SEGADAL L. Three-dimensional cross-sectional velocity distribution in the ascending aorta in cardiac patients 239

LAAKSONEN V. *see* LINDQVIST A.
LAMBERTZ M. *see* RITTWEGER J.
LANGHORST P. *see* RITTWEGER J.
LÄNSIMIES E. *see* JAGOMÄGI K.
LÄNSIMIES E. *see* VANNINEN E.
LARSEN P. B. *see* MAYROVITZ H. N.
LATHROP D. A. *see* NÁNÁSI P. P.
LEFTHERIOTIS G. *see* DESVAUX B.
LEINONEN H. *see* MÄKI T.
LENZI P. *see* AGNOLI G. C.
LIND H., BRUDIN L., LINDHOLM L. & EDVINSSON L. Different levels of sensory neuropeptides (calcitonin gene-related peptide and substance P) during and after exercise in man 73
LINDHOLM L. *see* LIND H.
LINDQVIST A., PIHLAJAMÄKI K., JALONEN J. & LAAKSONEN V. Static-charge-sensitive bed ballistocardiography in cardiovascular monitoring 23
LU Y. *see* CHATTERTON, JR. R. T.
LUNDBERG J. M. *see* AHLBORG G.
LUUKKONEN R. *see* SOVIJÄRVI A. R. A.

MADSBAD S. *see* FRANDSEN H. A.
MAGNUSSON G., KAIJSER L., RONG H., ISBERG B., SYLVÉN C. & SALTIN B. Exercise capacity in heart failure patients: relative importance of heart and skeletal muscle 183
MÄKI T., NÄVERI H., LEINONEN H. & SOVIJÄRVI A. Effect of β-blocking agents with and without intrinsic sympathomimetic activity on work efficiency in healthy men 543

MALMBERG L. P., KALLIO K., HALTSONEN S., KATILA T. & SOVIJÄRVI A. R. A. Classification of lung sounds in patients with asthma, emphysema, fibrosing alveolitis and healthy lungs by using self-organizing maps 115
MARCUS R. *see* TAAFFE D. R.
MARINELLI M. *see* AGNOLI G. C.
MÅRTENSSON A. *see* BORNMYR S.
MATRE K. *see* KVITTING P.
MAYROVITZ H. N. & LARSEN P. B. Pulsatile blood flow asymmetry in paired human legs 495
MIDTTUN M. & SEJRSEN P. Blood flow rate in arteriovenous anastomoses and capillaries in thumb, first toe, ear lobe, and nose 278
MIDTTUN M., SEJRSEN P. & COLDING-JØRGENSEN M. Heat-washout: a new method for measuring cutaneous blood flow rate in areas with and without arteriovenous anastomoses 259
MINORS D. *see* WILLIAMS G.
MUSTAJOKI P. *see* HAKALA K.

NÁNÁSI P. P., VARRÓ A., PANKUCSI C., HOMOLAY P., KNILANS T. K., KOVÁCS L., PAPP G. J. & LATHROP D. A. Electrical restitution in diseased human ventricular myocardium 339
NAUCK M. A., BLIETZ W. W. & QUALMANN C. Comparison of hyperinsulinaemic clamp experiments using venous 'arterialized' venous or capillary euglycaemia 589
NÄVERI H. *see* MÄKI T.
NIEMINEN M. M. *see* HEDMAN J.
NILSSON K-G. *see* BORNMYR S.
NISELL O. A flow model of respiration in health and disease 131
NORDMAN H. *see* KESKINEN H.
NOWAK J., BARREGÅRD L., BENTHIN G., GRANUNG G. & WENNMALM Å. Thromboxane metabolite excretion in patients with hand–arm vibration syndrome 361
NURMINEN M. *see* KESKINEN H.
NYBERG B. *see* BARLE H.

OHLÉN G. *see* WOHLFART B.

PANKUCSI C. *see* NÁNÁSI P. P.
PAPP G. J. *see* NÁNÁSI P. P.
PASSATORE M. *see* ROATTA S.
PETERSSON A-S. *see* JUNGERSTEN L.
PIHLAJAMÄKI K. *see* LINDQVIST A.
PIIRILÄ P. *see* KESKINEN H.
PIIRILÄ P. *see* SOVIJÄRVI A. R. A.

PIRMOHAMED J. *see* WILLIAMS G.
PRUITT L. *see* TAAFFE D. R.
PYKA G. *see* TAAFFE D. R.

QUALMANN C. *see* NAUCK M. A.

RAAMAT R. *see* JAGOMÄGI K.
RÅNGEMARK C. & WENNMALM Å. Smoke-derived nitric oxide and vascular prostacyclin are unable to counteract the platelet effect of increased thromboxane formation in healthy female smokers 301
RITTWEGER J., LAMBERTZ M. & LANGHORST P. Electrodermal activity reveals respiratory and slower rhythms of the automatic nervous system 323
ROATTA S., DERIU F., ARTUSIO E. & PASSATORE M. A simple, non-invasive and inexpensive method for evaluating the displacement of local tissue surfaces: from vascular changes to muscle contraction 83
RONG H. *see* MAGNUSSON G.
RUSKO H. K. *see* UUSITALO A. L

SALTIN B. *see* MAGNUSSON G.
SAMUELSSON P., BLOHMÉ G., FOWELIN J. & ERIKSSON J. W. A new non-invasive method using pulse oximetry for the assessment of arterial toe pressure 463
SAUMET J. L. *see* COLIN D.
SAUMET J. L. *see* DESVAUX B.
SCHNEITER PH. *see* TOUNAIN P.
SEGADAL L. *see* KVITTING P.
SEJRSEN P. *see* MIDTTUN M.
SJÖBERG B. J. *see* TANAKA H.
SNITKER S. *see* FRANDSEN H. A.
SOVIJÄRVI A. R. A. *see* MALMBERG L. P.
SOVIJÄRVI A. R. A., PIIRILÄ P. & LUUKKONEN R. Separation of pulmonary disorders with two-dimensional discriminant analysis of crackles 171
SOVIJÄRVI A. *see* HAKALA K.
SOVIJÄRVI A. *see* MÄKI T.
STAGE J. G. *see* BORLY L.
SUETTA C., KANSTRUP I.-L. & FOGH-ANDERSEN N. Haematological status in elite long-distance runners: influence of body composition 563
SVENSSON H. *see* BORNMYR S.
SYLVÉN C. *see* MAGNUSSON G.

TAAFFE D. R., PRUITT L., PYKA G., GUIDO D. & MARCUS R. Comparative effects of high- and low-intensity resistance training on thigh muscle strength, fiber area, and tissue composition in elderly women 381

TAHVANAINER K. U. O. *see* UUSITALO A. L
TALTS J. *see* JAGOMÄGI K.
TANAKA H., SJÖBERG B. J. & THULESIUS O. Cardiac output and blood pressure during active and passive standing 157
TAPPY L. *see* TOUNAIN P.
TAPPY L., CAYEUX M-C. & CHIOLÉRO R. Effects of sodium lactate on ventilation and acid-base balance in healthy humans 393
TASKAR V., WOLLMER P., EVANDER E., JOHN J. & JONSON B. Effect of detergent combined with large tidal volume ventilation on alveolocapillary permeability 103
TE NIJENHUIS F. C. A. M., JANSEN J. R. C. &. VERSPRILLE A. Transfer of carbon monoxide during an inspiratory pause procedure in mechanically ventilated pigs 621
TEIEN D., HOLM S. & KARP K. Evaluation of mitral regurgitation by pulmonary venous blood flow patterns. Relation to angiographic and haemodynamic parameters in subgroups of patients 469
HOLM S. *see* TEIEN D.
THULESIUS O. *see* TANAKA H.
TIHANYI J. *see* BOSCO C.
TIROSH E., BADER D., HODGINS H. & COHEN A. Sleep architecture as related to temperature changes in neonates at term 603
TOUNAIN P., SCHNEITER PH., HENRY S. & TAPPY L. Effects of infused glucose on glycogen metabolism in healthy humans 403
TUUNAINEN A. *see* VANNINEN E.

UUSITALO A. J. *see* UUSITALO A. L
UUSITALO A. L., TAHVANAINER K. U. O., UUSITALO A. J. & RUSKO H. K. Non-invasive evaluation of sympathovagal balance in athletes by time and frequency domain analyses of heart rate and blood pressure variability 575
UUSITUPA M. I. J. *see* VANNINEN E.

VANNINEN E., TUUNAINEN A., KANSANEN M., UUSITUPA M. & LÄNSIMIES E. Cardiac sympathovagal balance during sleep apnea episodes 209
VANNINEN E., UUSITUPA M. I. J. & LÄNSIMIES E. Ventricular repolarization is correlated with metabolic control in newly diagnosed type 2 diabetes 449
VARRÓ A. *see* NÁNÁSI P. P.
VERSPRILLE A. *see* TE NIJENHUIS F. C. A. M.
VIRU A. *see* BOSCO C.
VOGELSONG K. M. *see* CHATTERTON, JR. R. T.

WATERHOUSE J. *see* WILLIAMS G.
WENNMALM Å. *see* JUNGERSTEN L.
WENNMALM Å. *see* NOWAK J.

WENNMALM Å. *see* RÅNGEMARK C.
WERNERMAN J. *see* BARLE H.
WILLIAMS G., PIRMOHAMED J., MINORS D., WATERHOUSE J., BUCHAN I., ARENDT J. & EDWARDS R. H. T. Dissociation of body-temperature and melatonin secretion circadian rhythms in patients with chronic fatigue syndrome 327
WOHLFART B., OHLÉN G. & KARLSSON L. Simulation of re-entry in a piece of myocardial tissue: strong sensitivity to spatial and temporal conditions 417
WOLLMER P. *see* BORNMYR S.
WOLLMER P. see TASKAR V.
WRANNE B. *see* BLOMSTRAND P.

YOSHIKAWA J. *see* FUJII T.